

Publications, Bookchapters, Videos, Meetings, Awards and Honors, Nominations 2002

Publications

Extragenital retroperitoneal germ cell tumor: evidence of origin in testis

Scholz M., Zehender M., Thalmann G.N., Borner M., Thöni H., Studer U.E.
Annals of Oncology, 13:121-124, 2002

Effects of ketanserin and DOI on spontaneous and 5-HT-evoked peristalsis of the pig ureter in vivo

Hauser D.S., Mevissen M., Weiss R., Portier C.J., Scholtysik G., Studer U.E., Danuser H.
Br J Pharmacol, 135:1026-1032, 2002

Is ileal orthotopic bladder substitution with an afferent segment detrimental to the upper urinary tract in the long term?

Thoeny H.C., Sonnenschein M.J., Madersbacher St., Vock P., Studer U.E.
J of Urol, 168:2030-2034, 2002

Can reversed transcriptase polymerase chain reaction (RT-PCR) for prostate-specific antigen (PSA) and prostate-specific membrane antigen (PSMA) improve staging and predict biochemical recurrence?

Adsan O., Cecchini M.G., Bisoffi M., Wetterwald A., Klima I., Danuser H., Studer U.E., Thalmann G.N.
BJU, 90:579-85, 2002

Long-Term Voiding Pattern of Patients with Ileal Orthotopic Bladder Substitutes

Madersbacher St., Möhrle K., Burkhard F., Studer U.E.
J of Urol, 167:2052-7, 2002

Blunt renal trauma: Minimally invasive management with microcatheter embolization – experience in nine patients

Dinkel H.P., Danuser H., Triller J.
Radiology, 223:723-30, 2002

Holmium Laser Resection of the Prostate with the mushroom technique – a safe and efficient method for the treatment of Benign Prostatic Hyperplasia

Hochreiter W.W., Thalmann G.N., Burkhard F.C., Studer U.E.
J of Urol, 168:1470-1474, 2002

Inhibition of Human and Pig Ureter Motility in Vitro and in Vivo by the K⁺ Channel Openers PKF 217-744b and Nicorandil

Weiss R., Mevissen M., Hauser D.S., Scholtysik G., Portier Ch.J., Walter B., Studer U.E., Danuser H.
JPET 302:651-658, 2002

Is a limited lymph node dissection an adequate staging procedure for prostate cancer?

Bader P., Burkhard F.C., Markwalder R., Studer U.E.
J Urol 168:514-518, 2002

Noninvasive anesthesia, analgesia and radiation-free extracorporeal shock wave lithotripsy for stones in the most distal ureter: experience with 165 patients

Jermini F.R., Danuser H., Mattei A., Burkhard F.C., Studer U.E.
J Urol 168:446-449, 2002

Reliability of preoperative values to determine the need for lymphadenectomy in patients with prostate cancer and meticulous lymph node dissection

Burkhard F.C., Bader P., Schneider E., Markwalder R., Studer U.E.
Eur Urol 42:84-92, 2002

Long-term experience with BCG therapy of upper urinary tract transitional cell carcinoma in patients not eligible for surgery

Thalmann G.N., Markwalder R., Walter B., Studer U.E.
J Urol 168:1381-1385, 2002

Insulin-like growth factor binding protein-3 (IGFBP-3) is over-expressed in endothelial cells of mouse breast tumor cells

Schmid M.C., Bisoffi M., Wetterwald A., Gautschi E., Thalmann G.N., Mitola S., Bussolino F., Cecchini M.G.
Int J of Cancer, 103:577-86; 2002

The role of 5-HT_{1A} receptors in control of lower urinary tract function in cats

Thor K.B., Katofiasc M.A., Danuser H., Springer J., Schaus J.M.
Brain Research 946:290-297, 2002

Radical cystectomy for bladder cancer today – a homogeneous series without neoadjuvant therapy

Madersbacher S., Hochreiter W., Burkhard F., Thalmann G.N., Danuser H., Markwalder R., Studer U.E.
J Clin Oncol, 21:690-6, 2002

Publizierte Abstracts

Follow-up after pelvic exentration for advanced gynaecological tumours

Born K., Burkhard F., Studer U.
Eur Urol 1 (Nr. 1): Abstract 490, 2002

Long term follow up in 200 patients treated by transurethral microwave therapy (TUMT): urodynamic and clinical results

Thalmann G., Mattei A., Treuthardt C., Burkhard F.C., Studer U.
Eur Urol 1 (Nr. 1): Abstract 504, 2002

Natural history of disease in patients with positive nodes after radical prostatectomy and extended lymphadenectomy

Burkhard F., Schneider E., Bader P., Ochsner K., Thalmann G., Markwalder R., Studer U.

Eur Urol 1 (Nr. 1): Abstract 534, 2002

Long term voiding patterns in patients with ileal orthotopic bladder substitutes

Madersbacher S., Möhrle K., Burkhard F., Studer U.

Eur Urol 1 (Nr. 1): Abstract 637, 2002

Can reverse transcriptase polymerase chain reaction (RT-PCR) for prostate specific antigen (PSA) and prostate membrane specific antigen (PMSA) improve staging and predict biochemical recurrence?

Thalmann G.N., Adsan Ö., Klima I., Bisoffi M., Cecchini M.G., Danuser H., Studer U.E.

Eur Urol 1 (Nr. 1): Abstract 266, 2002

Comparison of urodynamic findings in patients with chronic pelvic pain syndrome IIIA and IIIB

Hochreiter W., Hruz P., Danuser H., Studer U.E.

Eur Urol 1 (Nr. 1): Abstract 693, 2002

Holmium laser enucleation of the prostate with the mushroom technique – a safe and efficient method in the treatment of BPH

Hochreiter W., Studer U.E., Thalmann G.

Eur Urol 1 (Nr. 1): Abstract 664, 2002

Relation of body mass index (BMI) with the risk of developing BPH

Holliger S., Schneider E., Madersbacher St., Thalmann G., Studer U.E.

Eur Urol 1 (Nr. 1): Abstract 231, 2002

Association of polymorphisms within androgen receptor 5 α -reductase and PSA-genes with prostate volume, clinical parameters and endocrine status in elderly men

Madersbacher S., Schatzl G., Gsur A., Haidinger G., Haitel A., Vutuc C., Micksche M., Marberger M.

Eur Urol 1 (Nr. 1): Abstract 232, 2002

Epidemiology and risk factors of nephrolithiasis in a health screening study in vienna

Kramer G., Madersbacher S., Djavan B., Bursa B., Marberger M., Temml Ch.

Eur Urol 1 (Nr. 1): Abstract 326, 2002

The relationship of local to distant failure in pelvic lymph node positive patients after radical cystectomy

Madersbacher St., Thalmann G., Markwalder R., Studer U.E.

Eur Urol 1 (Nr. 1): Abstract 539, 2002

Is eligibility for a chemotherapy protocol a good prognostic factor for an invasive bladder cancer after radical cystectomy?

Madersbacher St., Thalmann G., Studer U.E.

Eur Urol 1 (Nr. 1): Abstract 541, 2002

Long term outcome of ileal conduit urinary diversion

Schmidt J., Madersbacher St., Eberle J., Studer U.E.
Eur Urol 1 (Nr. 1): Abstract 630, 2002

Is ileal orthotopic bladder substitution with an isoperistaltic tubular segment detrimental to the upper urinary tract in the long term?

Thoeny H., Madersbacher St., Sonnenschein M., Scholz M., Vock P., Studer U.E.
Eur Urol 1 (Nr. 1): Abstract 639, 2002

Ileal orthotopic bladder substitution assures good long-term functional outcome

Madersbacher St., Moehrle K., Burkhard F.C., Studer U.E.
J Urol vol. 167 Nr. 4 Supplement: Abstract 343, 2002

Primary T1G3 bladder cancer: organ conserving approach or early cystectomy?

Thalmann G.N., Shahin O., Studer U.E.
J Urol vol. 167 Nr. 4 Supplement: Abstract 756, 2002

Genetic markers for the development of benign prostatic enlargement

Madersbacher St., Schatzl G., Gsur A., Haidinger G., Vutuc Ch., Micksche M., Marberger M.
J Urol vol. 167 Nr. 4 Supplement: Abstract 961, 2002

The membrane skeleton of human urinary bladder: protein redistribution during contraction/relaxation cycles

Burkhard F.C., Studer U.E., Monastyrskaya K., Babiychuk E.B., Draeger A.
J Urol vol. 167 Nr. 4 Supplement: Abstract 872, 2002

Criteria determining the need for lymph node dissection in patients with extended lymphadenectomy

Burkhard F.C., Schneider E., Bader P., Studer U.E., Ochsner K., Markwalder R.
J Urol vol. 167 Nr. 4 Supplement: Abstract 908, 2002

Where are the positive nodes in patients with prostate cancer when extended lymphadenectomy is performed?

Burkhard F.C., Schneider E., Bader P., Ochsner K., Markwalder R., Studer U.E.
J Urol vol. 167 Nr. 4 Supplement: Abstract 915, 2002

Relation of body mass index (BMI) with the risk of developing BPH

Holliger S., Schneider E., Madersbacher St., Thalmann G.N., Studer U.E.
J Urol vol. 167 Nr. 4 Supplement: Abstract 1058, 2002

Immediate vs deferred hormonal therapy for prostate cancer patients not suitable for curative local treatment

Studer U.E., Hauri D., Dietrich D.
J Urol vol. 167 Nr. 4 Supplement: Abstract 1197, 2002

Long term urodynamic and clinical results in 200 patients treated by transurethral microwave therapy (TUMT)

Thalmann G.N., Mattei A., Treuthardt C., Burkhard F.C., Studer U.E.
J Urol vol. 167 Nr. 4 Supplement: Abstract 1445, 2002

Das Risiko eine benigne Prostatahyperplasie zu entwickeln steht in Zusammenhang zum Body Mass Index (BMI)

Holliger S., Madersbacher St., Thalmann G.N., Studer U.E.
Urologe A 41 (Suppl.1): P1.15, 2002

Klinische und urodynamische Langzeitergebnisse bei 200 Patienten behandelt mit transurethraler Thermotherapie der Prostata (TUMT)

Mattei A., Thalmann G.N., Studer U.E.
Urologe A 41 (Suppl.1): P1.3, 2002

Radikale Zystektomie mit ausgedehnter pelviner Lymphadenektomie beim invasiven Blasenkarzinom ermöglicht eine niedrige Lokalrezidivrate

Schumacher M., Madersbacher St., Thalmann G.N., Markwalder R., Studer U.E.
Urologe A 41 (Suppl.1): V6.2, 2002

Der Einfluss des Alters auf das subjektive und urodynamische Ergebnis nach Mikrowellenthermotherapie und Holmiumlaser-TUR-P

Mattei A., Uhl A., Hochreiter W., Studer U.E.
Urologe A 41 (Suppl.1): P1.5, 2002

Holmium Laser-Resektion der Prostata mit der „Pilz-Technik“

Mattei A., Hochreiter W., Holliger S., Studer U.E.
Urologe A 41 (Suppl.1): V2.5, 2002

Funktionelle Langzeitergebnisse nach ilealer Ersatzblase mit einem afferenten tubulären Segment

Schumacher M., Madersbacher St., Burkhard F., Studer U.E.
Urologe A 41 (Suppl.1): V14.3, 2002

Spiral-JJ stent vs. Standard-JJ stent according to stone clearance in patients after ESWL treatment

Nitz Ch., Gerber R., Danuser H., Studer U.E.
Urologe A 41 (Suppl.1): V3.9, 2002

Vergleich zwischen NIH chronic prostatitis symptom index (CPSI) und AUA symptom score bei Patienten mit chronischem Schmerzsyndrom des Beckens (CSSB)

Hochreiter W., Hruz P., Danuser H., Studer U.E.
Urologe A 41 (Suppl.1): V12.2, 2002

Moderationen

Studer U.E.

Bladder cancer with positive lymph nodes, when is cystectomy justified?
Sub-Plenary session EAU, Birmingham, 23.-26.2.2002

Reducing human errors in urology
Sub-Plenary session EAU, Birmingham, 23.-26.2.2002

Damage control during laparoscopic surgery in urology
Sub-Plenary session EAU, Birmingham, 23.-26.2.2002

The endoscopic management of vesicoureteral reflux, does it stand the test of time?
Sub-Plenary session EAU, Birmingham, 23.-26.2.2002

Technical aspects of radical cystectomy and orthotopic substitution – How I do it
ESU-Course EAU, Birmingham, 23.-26.2.2002

Lecture: Role of Lymphadenectomy in cancer of the prostate and bladder
AUA annual meeting Orlando, Florida, 25. – 30.05.2002

Course: Continent urinary diversions and neobladders in urologic surgery
AUA annual meeting Orlando, Florida, 25. – 30.05.2002

Moderation Sitzung Neuro-Urologie
SGU Lausanne, 19. – 22.06.2002

Madersbacher S.

Chairman Poster Session “Medical Therapy for BPH”
EAU, Birmingham, 23.-26.2.2002

Thalmann G.

Chairman Oral Session “Urological imaging”
EAU, Birmingham, 23.-26.2.2002

Hochreiter W.

Chairman Poster Session “Prostatitis and other genitourinary infections”
EAU, Birmingham, 23.-26.2.2002

Frühstücksseminar: Infektiologie des oberen Harntrakts
DGU Wiesbaden, 18.-21.09.2002

Burkhard F.

Chairman Poster Session „Female urology: Basic research”
EAU, Birmingham, 23.-26.2.2002

Danuser H.:

Harnableitung
DGU Wiesbaden, 18.-21.09.2002

Poster

Holmium laser enucleation of the prostate with the mushroom technique – a safe and efficient method in the treatment of BPH

Hochreiter W.
EAU Birmingham, 23.-26.2.2002

Follow-up after pelvic exentration for advanced gynaecological tumors

Born K.
EAU Birmingham, 23.-26.2.2002

Natural history of disease in patients with positive nodes after radical prostatectomy and extended lymphadenectomy

Burkhard F.
EAU Birmingham, 23.-26.2.2002

Comparison of urodynamic findings in patients with chronic pelvic pain syndrome IIIA and IIIB

Hochreiter W.

EAU Birmingham, 23.-26.2.2002

Relation of body mass index (BMI) with the risk of developing BPH

Holliger S.

EAU Birmingham, 23.-26.2.2002

Can reverse transcriptase polymerase chain reaction (RT-PCR) for prostate specific antigen (PSA) and prostate membrane specific antigen (PMSA) improve staging and predict biochemical recurrence?

Thalmann G.

EAU Birmingham, 23.-26.2.2002

Long term follow up in 200 patients treated by transurethral microwave therapy (TUMT): urodynamic and clinical results

Thalmann G.

EAU Birmingham, 23.-26.2.2002

Immediate versus deferred hormonal therapy for prostate cancer patients not suitable for curative local treatment

Studer U.E.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Where are the positive nodes in patients with prostate cancer when extended lymphadenectomy is performed?

Burkhard F.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Criteria determining the need for lymph node dissection in patients with extended lymphadenectomy

Burkhard F.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Genetic markers for the development of benign prostatic enlargement

Holliger S.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

The membrane skeleton of human urinary bladder: protein redistribution during contraction/relaxation cycles

Holliger S.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Relation of body mass index (BMI) with the risk of developing BPH

Holliger S.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Primary T1G3 bladder cancer: organ conserving approach or early cystectomy?

Thalmann G.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Vorträge

Radical cystectomy in invasive bladder cancer

Studer U.E.

Sociedad Mexicana de Urologia, Mexico City, 24. Januar 2002

Lymphadenectomy in invasive bladder cancer

Studer U.E.

Sociedad Mexicana de Urologia, Mexico City, 24. Januar 2002

Orthotopic neobladder substitution „Studer’s technique“

Studer U.E.

Sociedad Mexicana de Urologia, Mexico City, 24. Januar 2002

Things to do and not to do with bladder substitution patients

Studer U.E.

Sociedad Mexicana de Urologia, Mexico City, 24. Januar 2002

Pelvic Lymph Node Dissection in Bladder and Prostate Cancer – to do or not to do

Studer U.E.

22nd Winter Urology Conference, Jackson Hole, 29. Januar 2002

Reflux in orthotopic bladder substitute – is it an issue?

Studer U.E.

22nd Winter Urology Conference, Jackson Hole, 30. Januar 2002

How to do a nervesparing cystectomy in male and female patients, surgical tricks to avoid complications with orthotopic bladder substitution

Studer U.E.

ESU-Course EAU, Birmingham, 23.-26.2.2002

Post-operative re-education of patients with orthotopic bladder substitutes

Studer U.E.

ESU-Course EAU, Birmingham, 23.-26.2.2002

Update on BPH

Madersbacher St.

ESU-Course EAU, Birmingham, 23.-26.2.2002

Treatment of female stress incontinence

Burkhard F.

Round table, EAU Birmingham, 23.-26.2.2002

Long-term outcome of ileal conduit urinary diversion

Madersbacher S.

EAU Birmingham, 23.-26.2.2002

The relationship of local to distant failure in pelvic lymph node positive patients after radical cystectomy

Madersbacher S.

EAU Birmingham, 23.-26.2.2002

Is eligibility for a chemotherapy protocol a good prognostic factor for invasive bladder cancer after radical cystectomy?

EAU Birmingham, 23.-26.2.2002

Long-term voiding patterns in patients with ileal orthotopic bladder substitutes

Madersbacher S.

EAU Birmingham, 23.-26.2.2002

What is new in Renal Cell Cancer?

Studer U.E.

11th European Urological Winter Forum Davos, 23.-27.03.2002

How to do a pelvic lymph node dissection and a nerve sparing cystectomy?

Studer U.E.

11th European Urological Winter Forum Davos, 23.-27.03.2002

Meticulous Lymph Node Dissection in Bladder and Prostate Cancer – an option or a must?

Studer U.E.

Dallas, Spence Visiting Professor, 10. – 13.03.2002

Tips and Tricks in Orthotopic Bladder Substitution

Studer U.E.

Dallas, Spence Visiting Professor, 10. – 13.03.2002

Immediate versus deferred hormonal treatment in patients with prostate cancer not suitable for curative local treatment

Studer U.E.

AAGUS, Kiawah Island (South Carolina) 17. – 20.04.2002

Alternative Invervention zur TUR-P – kritische Wertung

Studer U.E.

43. Jahrestagung der Südwestdeutschen Gesellschaft für Urologie, 2. – 4.05.2002, Mainz

Lymphadenektomie bei radikaler Prostatektomie

Studer U.E.

43. Jahrestagung der Südwestdeutschen Gesellschaft für Urologie, 2. – 4.05.2002, Mainz

Ileal orthotopic bladder substitution assures good long-term functional outcome

Studer U.E.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

State of the art lecture: Role of lymphadenectomy in cancer of the prostate and bladder

Studer U.E.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Course: Continent urinary diversions and Neobladders in urologic surgery

Studer U.E.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Ileal orthotopic bladder substitution assures good long-term functional outcome

Studer U.E.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

Long term urodynamic and clinical results in 200 patients treated by transurethral microwave therapy (TUMT)

Thalmann G.

AUA meeting, Orlando, Florida, 25. – 30.05.2002

How to do a nerve sparing radical cystectomy and bladder substitution in male and female patients

Studer U.E.

67th Annual Meeting of the Eastern-Section of Japanese Urological Association, Chiba,

18. – 20.09.2002

Postoperative rehabilitation, reeducation and follow-up of patients with bladder substitutes.

Studer U.E.

67th Annual Meeting of the Eastern-Section of Japanese Urological Association, Chiba,

18. – 20.09.2002

Vergleichende urodynamische Untersuchung bei Patienten mit chronischem Schmerzsyndrom des Beckens IIIa und IIIb

Hochreiter W.

SGU Kongress Lausanne 19.-22. Juni 2002

Vergleich zwischen NIH Chronic Prostatitis Symptom Index (CPSI) und AUA Symptom Score bei Patienten mit chronischem Schmerzsyndrom des Beckens (CSSB)

Hochreiter W.

SGU Kongress Lausanne 19.-22. Juni 2002

Holmium Laser Resektion der Prostata mit der „Pilz-Technik“

Mattei A.

SGU Kongress Lausanne 19.-22. Juni 2002

Laser en chirurgie urologique

Hochreiter W.

SGU Kongress Lausanne 19.-22. Juni 2002

Das Alter erlaubt keine Vorhersage über den Erfolg nach Transurethraler Thermotherapie der Prostata (TUMT)

Mattei A.

SGU Kongress Lausanne 19.-22. Juni 2002

Klinische und urodynamische Langzeitergebnisse bei 200 Patienten behandelt mit transurethraler Thermotherapie der Prostata (TUMT)

Mattei A.

SGU Kongress Lausanne 19.-22. Juni 2002

TENS und SANS in der urologischen Praxis

Holliger S.

SGU Kongress Lausanne 19.-22. Juni 2002

Spiral-JJ stent vs. standard-JJ stent according to stone clearance in patients after ESWL-treatment

Gerber R.

DGU Wiesbaden, 18.-21.09.2002

Vergleich zwischen NIH Chronic Prostatitis Syndrom Index (CPSI) und AUA Symptom Score bei Patienten mit chronischem Schmerzsyndrom des Beckens (CSSB)

Hochreiter W.

DGU Wiesbaden, 18.-21.09.2002

Holmium Laser Resektion der Prostata mit der „Pilz-Technik“

Mattei A.

DGU Wiesbaden, 18.-21.09.2002

Radikale Zystektomie mit ausgedehnter pelviner Lymphadenektomie beim invasiven Blasenkarzinom ermöglicht eine niedrige Lokalrezidivrate

Schumacher M.

DGU Wiesbaden, 18.-21.09.2002

Funktionelle Langzeitergebnisse nach ilealer Ersatzblase mit einem afferenten tubulären Segment

Schumacher M.

DGU Wiesbaden, 18.-21.09.2002

How do I do a cystectomy with neural preservation and lymphadenectomy in men and women / How do I do an orthotopic neobladder: technical aspects

Studer U.E.

XXV Congreso Chileno de Urologia, Santiago, 30.10. - 2.11.2002

Patient selection, complications and long-term results of orthotopic neobladders

Studer U.E.

XXV Congreso Chileno de Urologia, Santiago, 30.10. – 2.11.2002

Importance of pelvic lymphadenectomy in patients who have undergone a radical cystectomy

Studer U.E.

XXV Congreso Chileno de Urologia, Santiago, 30.10. – 2.11.2002

Reflux prevention in orthotopic bladder substitution – an option or a must?

Studer U.E.

Association of Academic European Urologists (AAEU), Vienna, 5. – 7.12.2002

Preise, Ehrungen, Ernennungen

Award of the Association pour la Recherche sur les Tumeurs de la Prostate (ARTP), European Society for Urological Research (ESUR), Trento, Italy

PD Dr. G. Thalmann: