

Publications, Bookchapters, Videos, Meetings, Awards and Honors, Nominations 2005

Publications

Risks and benefits of hormonal manipulation as monotherapy or adjuvant treatment in localised prostate cancer

Abrahamsson P.-A., Anderson J., Boccon-Gibod L., Schulman C., Studer U.E., Wirth M.
Eur Urol 48:900-5, 2005

Is pelvic lymphadenectomy really necessary in patients with a serum prostate-specific antigen level of < 10ng/ml undergoing radical prostatectomy for prostate cancer?

Burkhard F.C., Schumacher M., Thalmann G.N., Studer U.E.
BJU Int, 95(3):275-8, 2005

Smooth muscle membrane organization in the normal and dysfunctional human urinary bladder: A structural analysis.

Burkhard F.C., Monastyrskaya K., Studer U.E., Draeger A.
Neurourol Urodyn, 24(2):128-35, 2005

The role of lymphadenectomy in prostate cancer

Burkhard F.C., Schumacher M., Studer U.E.
Nature Clinical Practice Urology, 2(7):336-342;2005

Continent Urinary Diversion

Burkhard F.C., Kessler T.M., Mills R., Studer U.E.
Critical Reviews in Oncology/Hematology, in press;2005

Molecular and Biological Mechanisms of Bone Metastasis

Cecchini M.G., Wetterwald A., van der Pluijm G., Thalmann G.N.
EAU Update Series 3:214-26;2005

Prognostic implications of extracapsular extension of pelvic lymph node metastases in urothelial carcinoma of the bladder

Fleischmann A., Markwalder R., Thalmann G.N., Fey M.F., Studer U.E.
Am J Surg Path, 29(1):89-95; 2005

Extracapsular extension of pelvic lymph node metastases from urothelial carcinoma of the bladder is an independent prognostic factor

Fleischmann A., Markwalder R., Thalmann G.N., Studer U.E.
JCO, 23(10):2358-2365; 2005

Is newer always better? A comparative study of 3 lithotripter generations

Gerber R., Studer U.E., Danuser H.
J Urol 173:2013-16; 2005

Botulinum A toxin injections into the detrusor: Also an effective treatment in idiopathic detrusor overactivity

Kessler T.M., Danuser H., Schumacher M., Studer U.E., Burkhard F.C.
Neurourology and Urodynamics, 24:231-236; 2005

Sakrale Neuromodulation – letzte Hoffnung bei therapierefraktären Blasenfunktionsstörungen und chronischem Schmerzsyndrom des Beckens?

Kessler T.M., Burkhard F.C., Studer U.E.
Schweiz Med Forum 5:540-5;2005

Clinical Indications and Outcomes with Nerve-sparing Cystectomy in Patients with Bladder Cancer

Kessler T.M., Burkhard F.C., Studer U.E.
Urol Clin N Am 32:165-175; 2005

Metabolic Aspects of Diversion

Mills R., Studer U.E.
Textbook of Bladder Cancer, ed. by Lerner SP, Schoenberg M, Sternberg C.
London: T&F Informa, in preparation (2005)

Lymphadenectomy – how extensive for bladder cancer?

Mills R., Fleischmann A., Studer U.E.
Contemporary Urology 17:34-41; 2005

Tissue microarray analysis of hMSH2 expression predicts outcome in men with prostate cancer

Prtilo A., Leach F.S., Markwalder R., Kappeler A., Burkhard F.C., Cecchini M.G., Studer U.E., Thalmann G.N.
J Urol 174:1814-1818; 2005

Curage ganglionnaire dans le cancer de la prostate

Schumacher M., Burkhard F.C., Studer U.E.
Annales d'urologie 39:197-202; 2005

Stellenwert der pelvinen Lymphadenektomie beim klinisch lokalisierten Prostatakarzinom

Schumacher M., Burkhard F.C., Studer U.E.
Urologe A 44:645-51; 2005

Ileum-Neoblase nach Studer

Studer U.E., Schumacher M., Danuser H., Zingg E.J.
Buchkapitel in Albers P. / Heidenreich A. / Leyh H.: Standardoperationen in der Urologie, 1. Auflage, Thieme Verlag

Individual quality of life following radical prostatectomy in men with prostate cancer.

Willener R., Hantikainen V.
Urologic Nursing, 25(2):88-100; 2005

Der urologische Notfall – was darf ich nicht vergessen?

Z'Brun S., Studer U.E.
Therapeutische Umschau, 62(6):363-7; 2005

Publizierte Abstracts

The “low risk” patient with prostate cancer – truth or myth?

Burkhard F., Schumacher M., Markwalder R., Studer U.E.

Eur Urol Suppl. 4 (Nr. 3): Abstract 25, 2005

Patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment: do they need immediate androgen deprivation?

Studer U.E., Whelan P., Albrecht W., Casselman J., De Reijke T., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L., EORTC Genitourinary Group

Eur Urol Suppl. 4 (Nr. 3): Abstract 303, 2005

Prevalence of prostatitis symptoms and lower urinary tract symptoms (LUTS) in 1759 men using validated questionnaires

Hochreiter W.W., Madersbacher S., Temml C., Wolfensberger P., Studer U.E.

Eur Urol Suppl. 4 (Nr. 3): Abstract 367, 2005

Extracapsular extension of pelvic lymph node metastases from urothelial carcinoma of the bladder is an independent prognostic factor

Thalmann G., Fleischmann A., Markwalder R., Studer U.E.

Eur Urol Suppl. 4 (Nr. 3): Abstract 549, 2005

Modulation of osteoinductive properties of human cancer cell lines: essential role of NOGGIN

Thalmann G., Schwaninger R., Rentsch C., Wetterwald A., Geissbühler F., Klima I., Van der Pluijm G., Van Bezoujen R., Löwik C., Studer U.E., Cecchini M.

Eur Urol Suppl. 4 (Nr. 3): Abstract 881, 2005

Expression, regulation and in vivo growth inhibition by transforming growth factor- β (TGF β) stimulated clone-22 (TSC-22) in prostate cancer

Thalmann G., Rentsch C., Germann M., Wetterwald A., Schwaninger R., Markwalder R., Van der Pluijm G., Klima I., Geissbühler F., Lozano A., Studer U.E., Cecchini M.

Eur Urol Suppl. 4 (Nr. 3): Abstract 892, 2005

Immediate vs. deferred androgen deprivation in patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment

Studer U.E.

AAGUS 119th Meeting, 6.-9. April 2005

The effect of Terazosin on functional bladder outlet obstruction in women: a urodynamic study

Kessler T.M., Studer U.E., Burkhard F.C.

J Urol vol. 173 Nr. 4: Abstract 1219, 2005

Differences between survivors and those who died in node positive patients after radical prostatectomy and extended pelvic lymph node dissection

Birkhäuser F.D., Burkhard F.C., Thalmann G.N., Bader P., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 670, 2005

What is more important for urinary continence and erectile function after radical cystoprostatectomy and ileal orthotopic bladder: age or attempted nerve sparing?

Kessler T.M., Burkhard F.C., Perimenis P., Danuser H., Thalmann G.N., Hochreiter W.W., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 273, 2005

Precise description of prostatic sentinel-lymphnodes-anatomy (SLN) using fusion imaging between SPECT and CT-scanner after intraprostatic injection of Technetium-99m-nanocolloid

Mattei A., Füchsel F., Warncke S., Z'Brun S., Baermann Ch., Krause T., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1598, 2005

Improved sentinel node detection and pre-operative planning in prostate cancer by image fusion of CT/MRI and SPECT

Füchsel F.G., Mattei A., Warncke S., Baermann Ch., Ritter E.P., Z'Brun S., Krause T.M., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1528, 2005

Diffusion-weighted magnetic resonance imaging (DW-MRI) of the kidneys for assessment of renal function in healthy volunteers and in patients with various renal pathologies

Thoeny H.C., de Keyzer F., Oyen R.H., Thalmann G.N., Peeters R.P., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1529, 2005

Higher treatment efficacy with the HM3 or treatment comfort with the Modulith SLX for urinary stones: what would the patient choose?

Schumacher M., Kurtz F., Schmutz R., Studer U.E., Danuser H.

J Urol vol. 173 Nr. 4: Abstract 1686, 2005

Advantages of preoperative imaging with Technetium-99m-nanocolloid for prostate sentinel-lymph-node-adenectomy: Accuracy and surgical detection time using presurgical imaging guidance prior to gamma-probe-detection versus gamma-probe-detection alone

Mattei A., Füchsel F.G., Warncke S., Z'Brun S., Baermann Ch., Krause T., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1599, 2005

Better endopyelotomy results with lager stent size! Are they stable in the long term?

Danuser H., Dobry E., Z'Brun S., Mattei A., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1164, 2005

Immediate versus deferred androgen deprivation in patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment

Studer U.E., Whelan P., Albrecht W., Casselman J., Kurth K., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L., EORTC Genitourinary Tract Cancer Group

J Urol vol. 173 Nr. 4: Abstract 1659, 2005

Unenhanced helical CT in patients with acute flank pain: is it always a stone that explains this symptom?

Thoeny H.C., Studer R., Spreng A., Christe A., Thalmann G.N., Vock P., Studer U.E.

J Urol vol. 173 Nr. 4: Abstract 1718, 2005

Short and long-term urodynamic outcome in patients with ileal orthotopic bladder substitutes with an afferent tubular segment

Burkhard F.C., Sprinter J., Kessler T.M., Studer U.E.
J Urol vol. 173 Nr. 4: Abstract 483, 2005

Botulinum A toxin injections into the detrusor: An effective treatment in idiopathic and neurogenic detrusor overactivity?

Kessler T.M., Danuser H., Schumacher M., Studer U.E., Burkhard F.C.
J Urol vol. 173 Nr. 4: Abstract 1123, 2005

Re-Ureterocystoneostomy using the Lich-Gregoir technique in renal transplanted patients presenting with vesico-ureteral reflux and recurrent urinary tract infections

Schumacher M., Frey F., Studer U.E., Danuser H.
J Urol vol. 173 Nr. 4: Abstract 1550, 2005

The efficiency of IVU in the follow-up investigations after cystectomy for urothelial tumors to detect an upper urinary tract recurrence

Meissner C., Studer U.E.
J Urol vol. 173 Nr. 4: Abstract 853, 2005

Modulation and function of transforming growth factor- β stimulated clone-22 (TSC-22), a novel basal cell marker in the prostate

Rentsch C.A., Germann M., Wetterwald A., Schwaninger R., Markwalder R., Klima I., Geissbühler F., Lozano A., Studer U.E., Cecchini M.G., Thalmann G.N.
Der Urologe, 44 (Suppl. 1): P exp 1.13, 2005

Noggin is an essential modulator of the osteoinductive properties of human cancer cell lines

Schwaninger R., Rentsch C.A., Wetterwald A., Geissbühler F., Klima I., van der Pluijm G., van Bezooijen R., Löwik C., Studer U.E., Thalmann G.N., Cecchini M.G.
Der Urologe, 44 (Suppl. 1): P exp 3.1, 2005

Patienten mit asymptomatischem Prostatakarzinom T0-4 N0-2 M0, welche nicht für eine kurative Behandlung qualifiziert sind: ist eine sofortige Androgenablation sinnvoll?

Studer U.E., Whelan P., Albrecht W., Casselman J., de Reijke T.M., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L. und die EORTC Genitourinary Group
Der Urologe, 44 (Suppl. 1): V 10.3, 2005

Moderationen

Burkhard F.

Chair: Genitourinary infections
EAU Istanbul, 16. – 19.03.2005

Moderation Gynäkologische Urologie
DGU, Düsseldorf, 21. – 24. September 2005

Studer U.E.

Debate: PLND prior to radical prostatectomy – extended or standard?
EAU Istanbul, 16. – 19.03.2005

Chairman Video Session: Laparoscopic radical cystectomy
EAU Istanbul, 16. – 19.03.2005

Moderation Forumssitzung Lymphadenektomie
DGU, Düsseldorf, 21. – 24. September 2005

Thalmann G.

Chairman Debate: Is preservation of the prostate at radical cystectomy an appropriate option?
EAU Istanbul, 16. – 19.03.2005

Poster

The “low risk” patient with prostate cancer – truth or myth?

Burkhard F., Schumacher M., Markwalder R., Studer U.E.
Eur Urol Suppl. 4 (Nr. 3): Abstract 25, 2005

Prevalence of prostatitis symptoms and lower urinary tract symptoms (LUTS) in 1759 men using validated questionnaires

Hochreiter W.W., Madersbacher S., Temml C., Wolfensberger P., Studer U.E.
Eur Urol Suppl. 4 (Nr. 3): Abstract 367, 2005

Patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment: do they need immediate androgen deprivation?

Studer U.E., Whelan P., Albrecht W., Casselman J., De Reijke T., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L., EORTC Genitourinary Group
Eur Urol Suppl. 4 (Nr. 3): Abstract 303, 2005

Modulation of osteoinductive properties of human cancer cell lines: essential role of NOGGIN

Thalmann G., Schwaninger R., Rentsch C., Wetterwald A., Geissbühler F., Klima I., Van der Pluijm G., Van Bezoujen R., Löwik C., Studer U.E., Cecchini M.
Eur Urol Suppl. 4 (Nr. 3): Abstract 881, 2005

Expression, regulation and in vivo growth inhibition by transforming growth factor- β (TGF β) stimulated clone-22 (TSC-22) in prostate cancer

Thalmann G., Rentsch C., Germann M., Wetterwald A., Schwaninger R., Markwalder R., Van der Pluijm G., Klima I., Geissbühler F., Lozano A., Studer U.E., Cecchini M.
Eur Urol Suppl. 4 (Nr. 3): Abstract 892, 2005

The effect of Terazosin on functional bladder outlet obstruction in women: a urodynamic study

Kessler T.M., Studer U.E., Burkhard F.C.
AUA San Antonio, 21. – 26.05.2005

Differences between survivors and those who died in node positive patients after radical prostatectomy and extended pelvic lymph node dissection

Birkhäuser F.D., Burkhard F.C., Thalmann G.N., Bader P., Studer U.E.
AUA San Antonio, 21. – 26.05.2005

What is more important for urinary continence and erectile function after radical cystoprostatectomy and ileal orthotopic bladder: age or attempted nerve sparing?

Kessler T.M., Burkhard F.C., Perimenis P., Danuser H., Thalmann G.N., Hochreiter W.W., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Precise description of prostatic sentinel-lymphnodes-anatomy (SLN) using fusion imaging between SPECT and CT-scanner after intraprostatic injection of Technetium-99m-nanocolloid

Mattei A., Füchsel F., Warncke S., Z'Brun S., Baermann Ch., Krause T., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Improved sentinel node detection and pre-operative planning in prostate cancer by image fusion of CT/MRI and SPECT

Füchsel F.G., Mattei A., Warncke S., Baermann Ch., Ritter E.P., Z'Brun S., Krause T.M., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Diffusion-weighted magnetic resonance imaging (DW-MRI) of the kidneys for assessment of renal function in healthy volunteers and in patients with various renal pathologies

Thoeny H.C., de Keyzer F., Oyen R.H., Thalmann G.N., Peeters R.P., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Higher treatment efficacy with the HM3 or treatment comfort with the Modulith SLX for urinary stones: what would the patient choose?

Schumacher M., Kurtz F., Schmutz R., Studer U.E., Danuser H.

AUA San Antonio, 21. – 26.05.2005

Advantages of preoperative imaging with Technetium-99m-nanocolloid for prostate sentinel-lymph-node-adenectomy: Accuracy and surgical detection time using presurgical imaging guidance prior to gamma-probe-detection versus gamma-probe-detection alone

Mattei A., Füchsel F.G., Warncke S., Z'Brun S., Baermann Ch., Krause T., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Better endopyelotomy results with lager stent size! Are they stable in the long term?

Danuser H., Dobry E., Z'Brun S., Mattei A., Studer U.E.

AUA San Antonio, 21. – 26.05.2005

Immediate versus deferred androgen deprivation in patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment

Studer U.E., Whelan P., Albrecht W., Casselman J., Kurth K., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L., EORTC Genitourinary Tract Cancer Group

AUA San Antonio, 21. – 26.05.2005

Modulation and function of transforming growth factor-b stimulated clone-22 (TSC-22), a novel basal cell marker in the prostate

Rentsch C.A., Germann M., Wetterwald A., Schwaninger R., Markwalder R., Klima I., Geissbühler F., Lozano A., Studer U.E., Cecchini M.G., Thalmann G.N.

DGU, Düsseldorf, 21. – 24. September 2005

Noggin is an essential modulator of the osteoinductive properties of human cancer cell lines

Schwaninger R., Rentsch C.A., Wetterwald A., Geissbühler F., Klima I., van der Pluijm G., van Bezooijen R., Löwik C., Studer U.E., Thalmann G.N., Cecchini M.G.
Der Urologe, 44 (Suppl. 1): P exp 3.1, 2005
DGU, Düsseldorf, 21. – 24. September 2005

Vorträge

Extended lymphadenectomy: sense or nonsense?

Studer U.E.

Symposium “Bladder replacement”, AMC University Hospital, Amsterdam, 18.01.2005

Reconstructive urology

Studer U.E.

14th European Urological Winter Forum Davos, 05.-09.02.2005

Teaching Session Bladder Cancer: Management of lymph node metastases in bladder cancer

Studer U.E.

14th European Urological Winter Forum Davos, 05.-09.02.2005

State of the Art: Radical retropubic prostatectomy – it remains the gold standard

Studer U.E.

14th European Urological Winter Forum Davos, 05.-09.02.2005

ESU Course 30: Vaginal surgery nowadays – what is new?

Burkhard F.

EAU Istanbul, 16. – 19.03.2005

ESU Course 29: Radical cystectomy

Studer U.E.

EAU Istanbul, 16. – 19.03.2005

Extracapsular extension of pelvic lymph node metastases from urothelial carcinoma of the bladder is an independent prognostic factor

Thalmann G., Fleischmann A., Markwalder R., Studer U.E.

EAU Istanbul, 16. – 19.03.2005

Immediate vs. deferred androgen deprivation in patients with asymptomatic prostate cancer T0-4 N0-2 M0 not suitable for local definitive treatment

Studer U.E.

AAGUS 119th Meeting, 6.-9.04.2005

Rising PSA following treatment with curative intent; is there a role for early treatment?

Studer U.E.

EORTC GU Group Spring Meeting, Milano, 21.-23. April 2005

Workshop: PSA in der Praxis

Studer U.E.

Fortbildung für Grundversorger, Spital Bern-Ziegler, 28.04.2005

Unenhanced helical CT in patients with acute flank pain: is it always a stone that explains this symptom?

Thoeny H.C., Studer R., Spreng A., Christe A., Thalmann G.N., Vock P., Studer U.E.
AUA San Antonio, 21. – 26.05.2005

Short and long-term urodynamic outcome in patients with ileal orthotopic bladder substitutes with an afferent tubular segment

Burkhard F.C., Sprinter J., Kessler T.M., Studer U.E.
AUA San Antonio, 21. – 26.05.2005

Botulinum A toxin injections into the detrusor: An effective treatment in idiopathic and neurogenic detrusor overactivity?

Kessler T.M., Danuser H., Schumacher M., Studer U.E., Burkhard F.C.
AUA San Antonio, 21. – 26.05.2005

Re-Ureterocystoneostomy using the Lich-Gregoir technique in renal transplanted patients presenting with vesico-ureteral reflux and recurrent urinary tract infections

Schumacher M., Frey F., Studer U.E., Danuser H.
AUA San Antonio, 21. – 26.05.2005

The efficiency of IVU in the follow-up investigations after cystectomy for urothelial tumors to detect an upper urinary tract recurrence

Meissner C., Studer U.E.
AUA San Antonio, 21. – 26.05.2005

Immediate or deferred androgen ablation for patients with prostate cancer not suitable for attempted curative local treatment

Studer U.E.
Institute of Urology, Lahey Clinic, Boston, Mass., 16./17. Juni 2005

Pelvic lymphadenectomy for bladder and prostate cancer – an option or a must?

Studer U.E.
Institute of Urology, Lahey Clinic, Boston, Mass., 16./17. Juni 2005

Why to do a meticulous lymph node dissection in patients with invasive bladder cancer?

Studer U.E.
16th Video-Urology World Congress, Athen, 23.-25. Juni 2005

Management of patients after orthotopic bladder substitute

Studer U.E.
16th Video-Urology World Congress, Athen, 23.-25. Juni 2005

Hormone therapy: earlier or later? Results from randomized trials

Studer U.E.
Prostate Cancer Update. A Harvard Medical International Continuing Medical Education Program, Montreux, 16.-17. September 2005

Patienten mit asymptomatischem Prostatakarzinom T0-4 N0-2 M0, welche nicht für eine kurative Behandlung qualifiziert sind: ist eine sofortige Androgenablation sinnvoll?

Studer U.E., Whelan P., Albrecht W., Casselman J., de Reijke T.M., Hauri D., Loidl W., Isorna S., Sundaram S.K., Debois M., Collette L. und die EORTC Genitourinary Group

DGU, Düsseldorf, 21.-24. September 2005

Preise, Ehrungen, Ernennungen

Studer U.E.:

CapCURE Award of the Society of Urologic Oncology
AUA San Antonio, 2005

Honorary Member of the American Urological Association
AUA San Antonio, 2005

Ehrenmitglied der Deutschen Gesellschaft für Urologie
DGU Düsseldorf 2005

Thalmann G.N.:

Titularprofessur Universität Bern, 01.03.2005

Burkhard F.:

Venia docendi Universität Bern, November 2005